

SUBJECT INDEX*

<i>Acris gryllus</i>	418	Blood fluke	402
Algae, from Arkansas	469	Bog, paleoecology of	290
Amphibians, Duke Forest	652	Botryopteris	240
<i>Anachoropteris involuta</i>	245	<i>americana</i>	241
Anatomy, of <i>Celtis</i>	348	<i>radiata</i>	242
<i>Ankyropteris grayi</i>	244	<i>renaulti</i>	242
Apiocera	599	<i>tridentata</i>	240
<i>aldrichi</i>	605	<i>Cambarus immunis</i>	420
<i>alleni</i>	606	<i>Cantheliophorus</i>	559
<i>augur</i>	615	<i>Carex</i> , in Michigan	1
<i>beameri</i>	603	Carnivores, Middle Pliocene	692
<i>bilineata</i>	613	<i>Carpinus payettensis</i>	500
<i>caloris</i>	603	<i>Carya pecanoides</i>	500
<i>clavator</i>	609	<i>Castanopsis angustifolia</i>	504
<i>convergens</i>	615	Cedar Creek Bog, Minn.	101
<i>exta</i>	609	<i>Celtis mississippiensis</i>	349
<i>haruspex</i>	614	<i>occidentalis</i>	354
<i>hispida</i>	605	<i>Selloviana</i>	349
<i>infinita</i>	613	<i>Swartzii</i>	352
<i>interrupta</i>	610	<i>triflora</i>	353
<i>intonsa</i>	610	Cestode, Anoplocephalid	413
<i>martinorum</i>	615	<i>Chrysemys picta</i>	402
<i>melanura</i>	611	Chrysomelidae, relationships	148
<i>notata</i>	614	<i>Clethrionomys gapperi gapperi</i>	682
<i>parkei</i>	607	Climax, Spruce-Flemlock	290
<i>pearcei</i>	603	Coal balls, American	233
<i>trimaculata</i>	602	Coenopterid ferns	233
Apioceratidae	589	Communities, biotic	113
<i>Aporina delafondi</i>	413	Crater Lake Nat'l Park	324
Aquarium filter, portable	471	Crayfish, life history of	420
<i>Arbutus opaca</i>	519	<i>Cypripedium reginae</i>	580
<i>Arundanus</i> in North America	632	<i>Dochmiotrema</i>	392
<i>arundineus</i>	634	Duke Forest	652
<i>carolinus</i>	636	<i>Eryngium</i> , North American species.....	361
<i>crumbi</i>	637	<i>alismaefolium</i>	384
<i>duplus</i>	634	<i>aquaticum</i>	381
<i>fastigatus</i>	635	<i>floridanum</i>	382
<i>flavotinctus</i>	638	<i>Ravenelii</i>	382
<i>latidens</i>	636	<i>aristulatum</i>	385
<i>marginellus</i>	637	<i>Parishii</i>	386
<i>nacreosus</i>	639	<i>armatum</i>	383
<i>parvulus</i>	637	<i>aromaticum</i>	382
<i>proprius</i>	634	<i>articulatum</i>	383
<i>rubralineus</i>	638	<i>Baldwini</i>	378
<i>excavatus</i>	639	<i>Beecheyanum</i>	375
<i>sarissus</i>	635	<i>Boissieuianum</i>	369
<i>shermani</i>	635	<i>Bonplandi</i>	380
Ascophora	392	<i>calaster</i>	376
Bass Lake, Minn.	565	<i>campestre</i>	381
Biomee	115	<i>carlinae</i>	374
Birds, distribution of	113		
<i>Blarina brevicauda talpoides</i>	682		

* Names of new genera, species, etc., indicated by italics.

Cervantesii	379	Fraxinus leptocarya	520
columnare	371	Helodrilus tetraedrus typica	138
comosum	374	Jumping Mouse, Woodland	681
crassisquamosum	372	Lepidocarp family	548
cuneifolium	383	Lepidocarpaceae	548
cymosum	372	American	553
Deppeanum	373	Lepidocarpon	523, 552
diffusum	377	English species	552
divaricatum	378	genus	551
ebracteatum	369	toense	543
fluitans	374	Life zones	113
foetidum	378	Crater Lake	324
Galleottii	380	Lumbricidae	138
Ghiesbreghtii	379	Mackinac Island, Michigan	298
globosum	369	Mammals, Lee County, Florida	686
gracile	380	Massasauga Rattlesnake	659
gramineum	370	distribution and habitat	660
guatemalense	372	life history	664
Hemslayanum	371	poison of	669
heterophyllum	375	Miocene flora	473
Hookeri	377	Mollusca, land	644
integrifolium	382	Monarda in Oklahoma	358
Leavenworthii	376	Myxomycetes, Mississippi	584
Lemmoni	376	Napaeozapus insignis frutectanus	683
longifolium	370	Natrix, from Texas	673
madrense	374	harteri	673
maritimum	381	Nymphon heterodenticulatum	447
monocephalum	373	Olympic Peninsula	290
montanum	371	Optima Fauna	692
nasturtifolium	377	Oswaldocruzia minuta	418
Palmeri	373	Peloric flowers	580
pectinatum	372	Peromyscus leucopus noveboracensis	196
petiolatum	384	social life	201
phyteumae	374	Pigeon, cestode from	413
pillularioides	368	Pinus quinifolia	490
pinnatisectum	384	Pollen spectra	224
planum	381	Populus Boeoneana	494
pringlei	369	dolichophylla	494
prostratum	379	Protoascus wisconsinensis	389
proteaeiflorum	373	Pyrus heteromorpha	516
Purpusii	371	Quercus deflexiloba	506
racemosum	384	boisiensis	508
ranunculoides	379	Tuckeri	508
reptans	377	Rensselaerville, N. Y.	644
Rosei	379	Reptiles, Duke Forest	653
scaposum	380	Reptiles, Tapeworms of	454
serratum	381	Rhabdocoela of Wisconsin	388
sparganophyllum	369	Raphiomidas	616
spiculosum	377	abdominalis	624
Vaseyi	386	acton	626
castrense	387	aitkeni	623
globosum	387		
yuccifolium	370		
synchaetum	370		
Etapteris scotti	243		
Felis proterolyncis	698		
Ferns, Coenopterid	233		
Forest migration, Post-Pleistocene	270		
Forks Bog	293		

<i>episcopus</i>	618
<i>maculatus</i>	628
<i>machleri</i>	627
<i>painteri</i>	622
<i>parkeri</i>	625
<i>terminalis</i>	622
<i>trochilus</i>	620
<i>xanthos</i>	619
<i>Rivula propinqualis</i>	450
<i>Salix boisiensis</i>	498
<i>venosiuscula</i>	500
<i>Sapindus idahoensis</i>	518
Sediments, inland lakes	270
Sewage treatment plant	138
<i>Sistrurus catenatus catenatus</i>	659
Shrew, Short-tailed	681
<i>Spirorchis elephantis</i>	402
life history	405
<i>Stauropteris americana</i>	239
Sunken Lake, Minn.	571
Tapeworms of Reptiles	454
Tetraonidae, North American	119
Third Sister Lake	272
Thorn Creek, Idaho	473
<i>Tilia parvulifolia</i>	519
Tippecanoe Lake	271
<i>Triteleia</i>	73, 78
<i>Bridgesii</i>	97
<i>Calliprora</i>	86
<i>clementina</i>	82

<i>crocea</i>	85
<i>modesta</i>	86
<i>Dudleyi</i>	86
<i>Eutriteleia</i>	79
<i>grandiflora</i>	79
<i>Howellii</i>	80
<i>Hendersoni</i>	96
<i>Leachiae</i>	97
<i>Hesperoscordum</i>	92
<i>hyacinthina</i>	92
<i>Greenei</i>	94
<i>ixioides</i>	88
<i>analina</i>	90
<i>scabra</i>	88
<i>laxa</i>	83
<i>Lemmonae</i>	95
<i>lugens</i>	87
<i>montana</i>	95
<i>peduncularis</i>	81
<i>versicolor</i>	91
<i>Tritelelopsis</i>	98
<i>Palmeri</i>	99
Vegetation, Mackinac Island	298
Vole, Red-backed	681
<i>Vulpes stenognathus</i>	694
Warm springs, Arkansas	469
Winona Lake	271
Wood-Mouse, in Michigan	196
Xylem, secondary	348

AUTHOR'S INDEX

Anderson, Edgar	229
Andrews, H. N.	584
Baker, John R.	454
Blair, W. Frank	681
Cazier, Mont A.	589
Constance, Lincoln	361
Coryell, H. N.	229
Cox, Mary Josephine	348
Cross, A. T.	523
Curtis, J. T.	580
Darrah, William C.	233
Dawson, C. Benton	454
DeLong, Dwight M.	632
Dethier, V. G.	450
Gray, I. E.	652
Gray, Netta E.	469
Hamilton, Jr., W. J.	686
Hansen, Henry P.	290
Hayes, Jr., Wayland J.	388
Hedgepeth, Joel W.	447
Henson, Dorothy J.	358
Hermann, Frederick J.	1

Hoover, Robert F.	73
Hoskins, J. H.	523
Hughes, R. Chester	454
Hussey, Kathleen L.	413
Ingram, William Marcus	644
Jackson, Herbert William	471
Johnson, G. T.	584
Just, Theodor	711
Lindeman, Raymond L.	101
Lyon, Jr., M. W.	712
Mathias, Mildred E.	361
Moran, Frank E.	230
Moyle, John B.	564
Nicholson, Arnold J.	196
Nielsen, Etla L.	564
Pitelka, Frank A.	113
Potzger, J. E.	224, 270, 298
Powell, Eugene F.	148
Savage, Donald E.	692
Schopf, James M.	548
Smith, Helen V.	473
Tack, Peter Isaac	420

Trapido, Harold	673	Walton, A. C.	418
Vaughn, Charles M.	138	Wilson, Ira T.	270
Wade, J. S.	231	Wright, Bertrand Albert	659
Wall, Limas D.	402	Wynd, F. Lyle	324

Errata Graviora

P. 329, lines 15 and 16: read "partly or entirely by *Pinus albicaulis* Engelm. The plants listed in Table 1 occur chiefly in the Hudsonian Zone, and may be used for zonal indicators."

P. 385, line 5: read "63. *Eryngium aristulatum* Jepson, *Erythea* 1:62. 1893."

8
0
9
4

e
d

N
E
X

x